Date:

Friday, 9/8/2006 9:15:16 AM

Chantal Lavoie

Üser: **Process Sheet** Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** : 206 EXTRUSION BENDING Job Number : 28457 **Estimate Number** P.O. Number **Part Number** : D2620 S.O. No. : N This Issue : 9/8/2006 **Drawing Number** . D2620 REV B : N/A Prsht Rev. Project Number : LANDING GEAR First Issue Type **Drawing Revision** :NA : 27831 **Previous Run** Material : 9/15/2006 Qty: Each **Due Date** Written By Checked & Approved By : Est. Comment **Ó** 02.07.26 Change Dwg to rev.B; Updated Location RF Additional Product Job Number: **Machine Or Operation:** Description: Seq. #: 1.0 D26001160 Extrusion Round 3" 206 Comment: Qty.: 1.0000 Each(s)/Unit Total: 30.0000 Each(s) Extrusion Round 3" 206 Pick; Qty Part Number Description D2600-1 Extrusion Round 3"206 2.0 LANDING GEAR 1 Comment: LANDING GEAR RESOURCE 1 1-Bend extrusion as per Dwg D2620 usingCNC Bending Machine program 206.A and Folio Ft008 2- Cut Fwd end of tube as per Dwg D2620 Om 100-9-191 3.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING 4.0 Comment: PACKAGING RESOURCE #1 Identify and Stock QC21 5.0

Page 1

Comment: FINAL INSPECTION/W/O RELEASE

Form: rprocess

Dart Aerospace Ltd

W/O:	·	WORK ORDER CH	IANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #: Fault Category:	NCR: Ye	s No DQ	A: \$	Date: <u>C</u>	81/19/18
				: N/C Close			

		WORK ORDI	ER NON-CONFORMAN	CE (NCR)			
	Description of NC	Corrective Action Section B			Varification	Approval	Approval
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspecto
	STEP	STEP Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Action Description	STEP Description of NC Section A Initial Action Description Sign &	STEP Section A Initial Action Description Sign & Verification Section C	STEP Description of NC Section A Section B Initial Action Description Sign & Chief Eng

NOTE: Date & initial all entries

Dart Aerospace Ltd

Dait Ac	OSpace								
W/O:		WORK ORDER CHANGES							
DATE	STEP	PR	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						·			
Part No	•	PAR #:	Fault Cate	gory:	NCR: Ye	s No DC	A:	Date: _	
					QA	N/C Close	d:	Date: _	
NCR:			WORK ORD	ER NON-CONFORM	MANCE (NO	CR)			
DATE	STEP	Description of NC			ection B	Verif	cation	Approval	Approval
DATE	SIEF	Section A	Initial Chief Eng	Action Description Chief Eng	n Sigi Da	1& Sec	tion C	Chief Eng	QC Inspector
								ļ	
				·	•				
					-				
									E :


NOTE: Date & initial all entries


5.0 J

-17.1-

SPECIFICATION CONTROL DRAWING







125.0

(REF)

- 1. THERE SHOULD BE NO VISIBLE WRINKLES BELOW 5.0 AFTER BENDING.
- 2. GOUGES UP TO 0.020 DEEP ARE ACCEPTABLE IN BENT PORTION OF THE TUBE. NO GOUGES ARE ACCEPTABLE IN THE FLAT PORTION OF THE TUBE. DEEPER GOUGES ARE ACCEPTABLE IN THE PORTION OF THE TUBE ABOVE 5.0.
- 3. TUBE WIDTH SHOULD BE 3.20 \pm 0.200 IN THE BEND. TUBE WIDTH SHOULD BE 3.200 ± 0.010 IN THE FLAT PORTION OF THE TUBE.
- 4. TUBE HEIGHT SHOULD BE 3.15 \pm 0.200 IN THE BEND. TUBE HEIGHT SHOULD BE 3.150 ± 0.010 IN THE FLAT PORTION OF THE TUBE.

NOTE: ALL DIMENSIONS ARE IN INCHES







	7)	DART AEROSPACE USA, INC.
ED	APPROYED	DRAWING NO. REV. B
	る	D2620 SHEET 1 OF 1
		TITLE SCALE
9.10		206 SKIDTUBE BENDING CONTROL 1:20
	97.11.07	NEW ISSUE
	97.09.10	97.09.10 UPDATE FOR IN-HOUSE BENDING

99.